

**Earliest Settlers of:** Heber City

**Names:** Settled  
1 May 1859

Came:  
Year:

**HBUM:**

**Ped:**

**FGS:**

### Hist:

**Pict:**

**Earliest:** 12 Men =

Wm Meeks - 1st Presiding Elder

### Later:

Ref. 1. HBUM p 7

# Heber Earliest Settlers

Who Came

Date  
Came

HBUM  
pp

Ped

FGS

Pict

Hist

12 men

William Meeks Leader \*in Charleston  
So Carolina.

6645

12 Thomas Rasband

John Crook

Charles Noyes Canoll (from \*New Brunswick  
Canada)

293

John Carlile

John Jordan

Henry Chaturin

Jesse Bond

James Carlile

William Giles

William Carpenter

12 George Carlile

Note  
All except Chas N Canoll were  
from England - most were proselytes  
of Heber & Kimball (missionary).

Refs: HBUM p 7-11



Patient: PRICE, Nadine

Address: Heber, Ut.

Age: 44 Date: 5-20-74

Type of specimen: Vaginal

LMP: 5-15-74

Physician: R. R. Green, M. D.

(1) CELLS PRESENT

- (a) Squamous (X)
- (b) Endocervical (X)
- (c) Endometrial ( )
- (d) Other ( )

(2) INFLAMMATORY CELLS PRESENT

- (a) Excessive leukocytes (X)
- (b) Histiocytes ( )

(3) ATYPICAL BENIGN CELLS PRESENT

- (a) Due to hyperplasia (X)
- (b) Due to metaplasia (X)
- (c) Due to inflammation ( )
- (d) Due to atrophic change ( )

MICROBIOLOGIC FLORA

- (a) Trichomonas vaginalis ( )
- (b) Yeast ( )
- (c) Red blood cells present (X)

(5) DYSKARYOSIS

- (a) Mild ( )
- (b) Moderate ( )
- (c) Marked ( )

(6) MALIGNANT CELLS PRESENT ( )

(7) INDETERMINATE CELLS PRESENT

- (a) Too few for an opinion ( )
- (b) Unidentified ( )

(8) APPARENT HORMONAL STATUS

Estrogen Effect

- (a) Normal (X)
- (b) Atrophic change ( )
- (c) Keratinized cells ( )
- (d) Hyperestrogenic ( )

(9) MATURATION INDEX

- (a) Superficial cells %
- (b) Intermediate cells %
- (c) Parabasal cells %

(10) COMMENT:

Tell  
1468  
6-1-74

CYTOLOGIC DIAGNOSIS AND RECOMMENDATION

- ( ) CLASS I Negative. No atypical nor neoplastic cells seen. Repeat in one year.
- (X) CLASS II Atypical benign cells. Suggest repeat in 9 months.
- ( ) CLASS III Doubtful cells present, possibly neoplastic.
- ( ) CLASS IV Atypical cells suspiciously neoplastic.
- ( ) CLASS V Virtually conclusive for malignancy.
- ( ) OTHER

pd

Pathologist

M.D.